

Mon, 7 Nov 2005, 5:50:02 PM EST

Search Query Display

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	((sign <near/1> bit) <near/2> compression)<in>metadata)	1
#2	((sign <near/1> bit) <near/2> compression)<in>metadata)	1
#3	((sign <near/2> compression)<in>metadata)	6
#4	("low-energy data cache") <in> ti	0
#5	energy data cache <in> ti	0
#6	cache <in> ti	2131
#7	data cache <in> ti	95
#8	energy <and> data cache <in> ti	26
#9	(wmpi<IN>metadata)	1
#10	wmpi <in> ct	0
#11	todd austin <in> au	0
#12	t. austin <in> au	0
#13	austin <in> au	417
#14	austin t. <in> au	72
#15	(austin t. <in> au) <and> (cache <in> ti)	2
#16	memory performance issues <in> ct	0
#17	memory performance <in> ct	0
#18	(memory performance) <in> ct	0
#19	(memory <and> performance) <in> ct	0
#20	performance <in> ct	0
#21	memory<in> ct	0
#22	run-length <near/2> compression	53

<u>#23</u>	((run-length <near/2> compression) <AND> cache<IN>metadata)	0
<u>#24</u>	run-length <near/2> compression	53
<u>#25</u>	opportunist* <near/2> compress*	2



[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	((("20030131184") or ("20030135694")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/01 11:16
S5	2	((("6640283") or ("6735673")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/01 13:20
S6	2	((("5826054") or ("6216213")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/01 13:28
S7	328	(CPU OR MPU OR processor\$1 OR microprocessor\$1 OR microcontroller\$1 OR (micro ADJ (processor\$1 OR controller\$1))) SAME (cache near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR zip\$1 OR zipp\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:25
S8	5626	((711/118) or (711/113) or (711/129) or (711/128) or (711/170) or (711/3) or (710/68)). CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/01 16:50
S12	39	(711/118 711/113 711/129 711/128 711/170 711/3).ccls. AND (710/68). ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 13:42
S13	15	S7 AND S12	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 13:42
S14	210	(CPU OR MPU OR processor\$1 OR microprocessor\$1 OR microcontroller\$1 OR (micro ADJ (processor\$1 OR controller\$1))) AND (((cache near5 (line\$1 OR block\$1)) near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR zip\$1 OR zipp\$3)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:35
S15	5	S14 AND S12 NOT S13	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:15
S16	80	S7 AND S8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:25
S17	65	S16 NOT (S13 OR S15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:26

S18	48	(CPU OR MPU OR processor\$1 OR microprocessor\$1 OR microcontroller\$1 OR (micro ADJ (processor\$1 OR controller\$1))) AND (((cache near5 (line\$1 OR block\$1)) near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR zip\$1 OR zipp\$3) near5 (uncompress\$3)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:36
S19	26	S18 AND S8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:37
S20	24	S19 NOT (S13 OR S15)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 14:37
S21	1025	cache near4 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR zip\$1 OR zipp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:22
S22	1166	cache near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR zip\$1 OR zipp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:22
S23	1452	cach\$3 near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR zip\$1 OR zipp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:23
S24	1455	cach\$3 near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:28
S25	195852	(compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3) near5 (block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:51
S26	98386	(block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) near5 (associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating) near5 (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:49
S27	5373	((711/118) or (711/129) or (711/128) or (711/170) or (711/171) or (711/172) or (711/173) or (710/68)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/03 10:40
S28	1265	S25 SAME S26	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:51

S29	67	S24 AND (S25 SAME S26)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:51
S30	47	S27 AND (S25 SAME S26)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 09:10
S31	23	S29 AND S30	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/01 16:53
S32	1455	cach\$3 near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 10:42
S33	195852	(compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3) near5 (block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 10:54
S34	98386	(block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) near5 (associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating) near5 (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 09:36
S35	5373	((711/118) or (711/129) or (711/128) or (711/170) or (711/171) or (711/172) or (711/173) or (710/68)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/03 10:40
S36	67	S32 AND (S33 SAME S34)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 09:10
S37	47	S35 AND (S33 SAME S34)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 09:10
S38	23	S36 AND S37	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 09:10
S39	24	S37 NOT S38	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 09:13

S40	106872	((block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) near5 (associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating)) SAME ((associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating) near5 (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 11:33
S41	49	S32 AND (S33 SAME S40) NOT (S38 OR S39)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 10:55
S42	2	S41 AND S35	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 09:38
S43	303929	((block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) WITH (associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating)) SAME ((associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating) WITH (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 10:54
S44	339329	(compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3) WITH (block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 10:54
S45	78	S32 AND (S44 SAME S43) NOT (S38 OR S39 OR S41)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 11:33
S46	18	S45 AND S35	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 10:55

S47	98386	((block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) near5 (associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating)) near5 (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 11:50
S48	7	S32 AND (S33 SAME S47) NOT (S38 OR S39 OR S41 OR S46)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 11:48
S49	97723	(block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) near5 ((associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating) near5 (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 11:48
S50	4	S32 AND (S33 SAME S49) NOT (S38 OR S39 OR S41 OR S46 OR S48)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 11:51
S51	277506	((block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) WITH (associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating)) WITH (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 12:02
S52	29	S32 AND (S33 SAME S51) NOT (S38 OR S39 OR S41 OR S46 OR S48 OR S50)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 12:03
S53	277506	(block\$3 OR line\$1 OR entr\$3 OR set\$1 OR way\$1 OR row\$1 OR column\$1) WITH ((associat\$3 OR correlat\$3 OR correspond\$3 OR point\$3 OR map OR mapped OR mapping OR relate OR related OR relating) WITH (partition\$3 OR portion\$3 OR section\$3 OR sector\$1 OR area\$1 OR fragment\$1 OR segment\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 12:03
S54	0	S32 AND (S33 SAME S53) NOT (S38 OR S39 OR S41 OR S46 OR S48 OR S50 OR S51)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 12:03

S55	2	cach\$3 near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3) near5 (overflow\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 12:38
S56	7	cach\$3 near5 ((compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3) SAME (overflow\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/02 12:38
S57	17	("5206939" "5247638" "5465338" "5493574" "5568650" "5652857" "5652878" "5761536" "5875454" "5933853").PN. OR ("6115787").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/02 13:31
S58	1	("6523102").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/02 13:31
S59	5380	((711/118) or (711/129) or (711/128) or (711/170) or (711/171) or (711/172) or (711/173) or (710/68)).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/03 11:41
S60	1456	cach\$3 near5 (compress\$4 OR condens\$3 OR compact\$3 OR contract\$3 OR constrict\$3 OR constring\$3 OR zip\$1 OR zipp\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 14:42
S61	543	cach\$3 near5 control\$4 near5 (parallel\$3 OR simultaneous\$2 OR concur\$4 OR synchron\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:39
S62	2	S60 SAME S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 10:47
S63	19	S60 AND S61	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 10:58
S64	11	S60 AND S61 AND "711".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 10:59
S65	4	(US-5193162-\$ or US-5826052-\$ or US-5915262-\$ or US-6389509-\$). did.	USPAT	OR	ON	2005/11/03 11:10
S66	124	S61 AND S59	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:39
S67	522	cach\$3 near5 (control\$4 near5 (parallel\$3 OR simultaneous\$2 OR concur\$4 OR synchron\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:55
S68	269	(710/68).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/03 11:40

S69	1	S67 AND S68	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:40
S70	1700	(711/118).CCLS.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/11/03 11:41
S71	75	S70 AND S67	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:41
S72	395	(cach\$3 near3 control\$4) near5 (parallel\$3 OR simultaneous\$2 OR concur\$4 OR synchron\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:56
S73	100	S72 AND S59	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:56
S74	334	(cach\$3 near2 control\$4) near5 (parallel\$3 OR simultaneous\$2 OR concur\$4 OR synchron\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:56
S75	88	S74 AND S59	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 11:56
S76	39	S60 AND (overflow\$3 near5 (point\$3 OR indicat\$3 OR address\$3 OR bit\$1 OR byte\$1))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/11/03 14:44